

Approved for use through 9/30/00. OMB 0631-0031  
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

In re: Rodolfo Milito et al.  
Case: P3807 Application No.: 09/586.115 Filing date: 06/02/2000  
Art Unit: 2121 Examiner: Joseph P. Hirl  
Subject: Wire-Speed Multi-Dimensional Packet Classifier

**Certificate of Transmission under 37 CFR 1.8**

Attention: Joseph P. Hirl, Examiner

Fax No.: (703) 746-7239

I hereby certify that this correspondence is being facsimile transmitted to the  
Patent and Trademark Office

on 07/11/2003

Date



Signature

Lynda Schwalenberg

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify  
each submitted paper.

**Total Sheets Transmitted - 15**

1. Response C - 12 sheets
2. Response Transmittal Form - 1 sheet
3. Duplicate Response Transmittal Form - 1 sheet
4. Certificate of Transmission - 1 sheet

Please call me at (831) 726-1457 if you have any questions.

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Method of Transmission: By Facsimile

CASE DOCKET NO. P3807

In reference to application of Rodolfo Milito et al.

Serial No. 09/586,115

For Wire-Speed Multi-Dimensional Packet Classifier

Sir:

Transmitted herewith is and an amendment in the above-identified application, under 37 C.F.R. 1.312.

- ☒ No additional fee is required.  
☐ Applicant claims Small entity status under 37 CFR 1.27.  
☐ The fee has been calculated as shown below.

**** CLAIMS AS AMENDED ****							
(1)	(2) Claims Remaining After Amendment	(3)	(4) Highest No. Paid For Previously	(5) Present Extra	(6) Rate Small Entity	(7) Rate Large Entity	(8) Additional Fee
Total Claims	23	Minus	** 23	0	\$ 9	\$ 18	\$ 0.00
Indep Claims	3	Minus	*** 3	0	\$ 42	\$ 84	\$ 0.00
<input type="checkbox"/> First presentation of a multiple dependent claim					\$ 0	\$ 0	\$ 0.00
<input type="checkbox"/> Terminal Disclaimer Fees							\$ 0.00
Extension Fee	<input type="checkbox"/> 1st Month		<input type="checkbox"/> 2nd Month		<input type="checkbox"/> 3rd Month		\$ 0.00
Total additional for claims, time extensions and disclaimer fees							\$ 0.00

\*\* If the "highest Number Previously Paid For" in this space is less than 20, write "20" in this space.


\*\*\* If the "highest Number Previously Paid For" in this space is less than 3, write "3" in this space.

\*\*\*\* Multiple dependencies, if any, included in the above calculation.

\* If the entry in column 2 is less than the entry in column 4, write "0" in column 5.

☐ A check in the amount of 0.00 is attached.☐ Charge \$ 0.00 to deposit account 50-0534. (A duplicate of this sheet is enclosed)☒ Please charge any additional fees or credit overpayment to Deposit Account 50-0534. A duplicate of this sheet is enclosed.

Respectfully Submitted,

  
 Donald R. Boys  
 Reg. No. 35074

 Donald R. Boys  
 Central Coast Patent Agency, Inc.  
 P.O. Box 187  
 Aromas, CA 95004  
 (831) 726-1457

#8/C  
7-16-03  
E. Hall

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit 2121

Examiner Joseph P. Hirl

In Re: Rodolfo Milito et al.  
Case: P3807  
Serial No.: 09/586,115  
Filed: June 2, 2000  
Subject: Wire-Speed Multi-Dimensional Packet Classifier

To the Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Dear Sir,

## Response C

All of the claims standing for examination are reproduced below. Claims 1 and 12 are herein amended in the present response.

C.I. D. (Currently Amended) A system for classifying packets, wherein each packet has N header fields to be used for processing, the system comprising:

a first set of rules associating to the packets by values of the header fields; and

a classification system for selecting specific rules in the set of rules as applicable to a specific packet;

characterized in that the classification system projects the first set of rules as N-dimensional entities on N axes in N-dimensional space, marking the beginning and ending value on each axis for each rule as a breakpoint, ~~numbers intervals arbitrarily between breakpoints in sequential ascending binary numbers~~ assigns a sequence of binary numbers to each interval between

- 2 -

Ch  
Contd.

breakpoints such that all adjacent intervals are numbered in ascending sequential order, associates a subset of the first set of rules as applicable in each interval to the assigned binary number of the appropriate interval between breakpoints on each axis, then considers a packet as a point in the N-dimensional space according to its header field values, locates the binary ~~numbered~~ number assigned to the interval into which the point projects on each axis by performing a search on each axis for the numbered interval into which the point projects on that axis, thereby determining rules applicable to the packet for that axis, and then determines the specific rules applicable to the packet from the subsets of rules by selecting those rules as applicable to the packet that apply to the packet on all of the N axes.

DI

2.(Original) The system of claim 1 wherein the search performed on each axis is a binary search conducted by selecting breakpoints at which the bits change for the binary numbered intervals.

3. (Original) The system of claim 1 wherein the search performed on each axis is a quaternary or higher-level M-ary search, where M is a power of 2, conducted by selecting breakpoints at which the bits change for the binary numbered intervals.

4. (Original) The system of claim 1 wherein association of applicable rules in each numbered interval is made by associating a binary string with each interval, with one bit dedicated to each rule.

5. (Original) The system of claim 4 wherein the rules are associated to bit positions in the binary string by priority, the order of priority according to bit significance, and a final rule is selected by the most significant 1 in the

1

- 3 -

matching rules.

6. (Original) The system of claim 4 wherein the applicable rules are found by ANDing the binary strings determined for each axis over all axes.

7. (Original) The system of claim 1 comprising at least one hardware pipeline for conducting the search on an axis, the pipeline comprising first, second, and sequential modules for accomplishing increasingly particular portions of the search, wherein, after the first module of the sequential modules is used, determined values from the first module pass to the second module, and values for a second packet enter the pipeline at the first module, the pipeline operations proceeding thus sequentially.

8. (Original) The system of claim 7 comprising parallel pipelines with one pipeline dedicated to searching on each axis in the N-dimensional space, wherein searches are conducted for applicable intervals simultaneously on each axis.

9. (Original) The system of claim 8 wherein applicable rules for each interval on each axis are represented by individual bitmaps, with each rule assigned a bit position, and wherein the outputs of the parallel pipelines, being the numbered interval on each axis into which the point for a packet projects, are exchanged for the associated bitmaps, which are then ANDed to determine the applicable rules.

10. (Original) The system of claim 1 wherein searching is interleaved, results of searching on one or more axes being applied to other axes before searching on the other axes.

- 4 -

11. (Original) The system of claim 10 wherein rules that are found by search to not apply on one or more axes are not considered in searches conducted on the other axes.

12. (Currently Amended) A method for classifying packets in routing, wherein each packet has N fields to be used in processing in a header, comprising the steps of:

(a) projecting the rules as N-dimensional entities on N axes in N-dimensional space;

(b) marking the beginning and ending value on each axis for each rule as a breakpoint;

(c) ~~numbering~~ assigning a sequence of binary numbers to intervals between breakpoints arbitrarily on each axis such that all adjacent intervals are numbered sequentially in ascending order with binary numbers;

(d) identifying those breakpoints at which bits in the interval numbers change;

(e) associating a subset of the rules as applicable ~~in~~ to the assigned number of each interval on each axis;

(f) considering a packet as a point in the N-dimensional space according to values of the header fields for the packet;

(g) determining by search the binary ~~numbered~~ number of the interval on each axis into which the packet point projects;

(h) substituting the subset of rules that apply for each determined interval; and

(i) selecting those rules as applicable to the packet that associate to the packet on all of the N axes.

- 5 -

C/Contd.  
13. (Original) The method of claim 10 wherein, in step (g) the determination is made by a binary search.

14. (Original) The method of claim 12 wherein, in step (g), the determination is made by a quaternary or higher-level M-ary search.

15. (Original) The method of claim 12 wherein, in step (e), association of applicable rules in each numbered interval is made by associating a binary string with each interval, with one bit dedicated to each rule.

16. (Original) The method of claim 15 wherein the rules are mapped to bit positions in the binary string by priority, the order of priority according to bit significance, and a final rule is selected by the most significant 1 in the matching rules.

17. (Original) The method of claim 15 wherein, in step (i), the matching rules are found by ANDing the binary strings determined for each axis over all axes.

18. (Original) The method of claim 12 wherein, in step (g), the search is conducted by sequential modules in at least one hardware pipeline, the pipeline comprising first, second, and sequential modules for accomplishing increasingly particular portions of the search, and wherein, after the first module of the sequential modules is used, determined values from the first module pass to the second module, and values for a second packet enter the pipeline at the first module, the pipeline operations proceeding thus sequentially.

19. (Original) The method of claim 17 comprising parallel pipelines with one

- 6 -

cl  
And.

pipeline dedicated to searching on each axis in the N-dimensional space, wherein searches are conducted for applicable interval simultaneously on each axis.

20. (Original) The method of claim 19 wherein applicable rules for each interval on each axis are represented by individual bitmaps, with each rule assigned a bit position, and wherein the outputs of the parallel pipeline, being the numbered interval on each axis into which the point for a packet projects, are exchanged for the associated bitmaps, which are then ANDed to determine the second set of matching rules.

1

21. (Original) The method of claim 12 wherein, in step (g) searching is interleaved, results of searching on one or more axes being applied to other axes before searching on the other axes.

22. (Original) The method of claim 21 wherein rules that are found by search to not apply on one or more axes are not considered in searches conducted on the other axes.

23. (Original) In a system for classifying packets by binary or higher-level searching for intervals into which rules project on axes, a method for simplifying a search, comprising steps of:

- (a) conducting a first search on one or more axes; and
- (b) using information from the first search to simplify further searching on remaining axes.